

# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations  
Revision Date: 09/25/2015 Date of issue: 09/25/2015

Version: 1.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Name:** Star Power

**Product Code:** 16662, 16664

\*This document is intended to be used for safety in the workplace only, and is not a consumer document.

#### 1.2. Intended Use of the Product

laundry detergent

#### 1.3. Name, Address, and Telephone of the Responsible Party

Faultless Starch/ Bon Ami Co.

1025 W 8th St.

Kansas City, MO 64101 USA

T: 1-816-842-1230

[www.faultless.com](http://www.faultless.com)

#### 1.4. Emergency Telephone Number

**Emergency Number** : 1-703-527-3887 or 1-800-424-9300 (for emergencies) CHEMTREC

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### Classification (GHS-US)

Ox. Sol. 3 H272

Eye Dam. 1 H318

Resp. Sens. 1 H334

Aquatic Acute 2 H401


Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

#### 2.2. Label Elements

##### GHS-US Labeling

##### Hazard Pictograms (GHS-US)



##### Signal Word (GHS-US)

: Danger

##### Hazard Statements (GHS-US)

: H272 - May intensify fire; oxidizer.  
H318 - Causes serious eye damage.  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H401 - Toxic to aquatic life.  
H412 - Harmful to aquatic life with long lasting effects.

##### Precautionary Statements (GHS-US)

: P210 - Keep away from extremely high or low temperatures, ignition sources, and incompatible materials. - No smoking.  
P220 - Keep/Store away from combustible material, oxidizable materials, and incompatible materials.  
P221 - Take any precaution to avoid mixing with combustible material, oxidizable materials, and incompatible materials.  
P261 - Avoid breathing vapors, mist, or spray.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P284 - [In case of inadequate ventilation] wear respiratory protection .  
P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

P342+P311 - If experiencing respiratory symptoms: Call a poison center or doctor.

P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US) No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

### 3.2. Mixture

Name	Product Identifier	% (w/w)
Disodium carbonate	(CAS No) 497-19-8	10 - 30
Sodium percarbonate	(CAS No) 15630-89-4	10 - 30
Sodium dodecylbenzenesulfonate	(CAS No) 25155-30-0	5 - 10
Nonylphenol ethoxylates	(CAS No) 9016-45-9	3 - 7
Subtilisins (proteolytic enzymes)	(CAS No) 9014-01-1	0.1 - 1
Tinopal CBS	(CAS No) 27344-41-8	0.1 - 1
Amylase, .alpha.-	(CAS No) 9000-90-2	0.1 - 1

\* A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition. The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. In the event of an emergency, chemical identities and exact percentages of the proprietary ingredients may need to be disclosed to emergency personnel upon request.

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Inhalation:** Exposure may produce cough mucous secretions, shortness of breath, chest tightness or other symptoms indicative of an allergic/sensitization reaction.

**Skin Contact:** May cause minor skin irritation.

**Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

**Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, dry chemical, foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** May intensify fire; oxidizer.

**Explosion Hazard:** Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

**Reactivity:** Oxidizer: increases the burning rate of combustible materials.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Oxygen. Sodium oxides. Explosive Hydrogen gas.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

### Reference to Other Sections

Refer to section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Keep away from combustible material. Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Use only non-sparking tools.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. Avoid actions that cause dust to become airborne during clean-up such as dry sweeping or using compressed air. Use HEPA vacuum or thoroughly wet with water to clean-up dust. Use PPE described in Section 8.

### 6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** May cause or intensify fire; oxidizer.

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not breathing vapors, mist, spray. Keep away from extremely high or low temperatures, ignition sources, and incompatible materials. - No smoking. Do not get in eyes, on skin, or on clothing.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures, and incompatible materials. Keep in fireproof place.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Zinc. Aluminum.

### 7.3. Specific End Use(s)

Laundry detergent

# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Subtilisins (proteolytic enzymes) (9014-01-1)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
Alberta	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
British Columbia	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
Manitoba	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
New Brunswick	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup> (proteolytic enzymes)
Newfoundland & Labrador	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
Nova Scotia	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
Nunavut	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup> (Proteolytic enzymes)
Northwest Territories	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup> (Proteolytic enzymes)
Ontario	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
Prince Edward Island	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
Québec	PLAFOND (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup> (Proteolytic enzymes)
Saskatchewan	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup>
Yukon	OEL Ceiling (mg/m <sup>3</sup> )	0.00006 mg/m <sup>3</sup> (Proteolytic enzymes)

#### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles. Face shield. Insufficient ventilation: wear respiratory protection.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics. Wear fire/flammable resistant/retardant clothing.

**Hand Protection:** Wear protective gloves.

**Eye Protection:** Chemical goggles and face shield.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Other Information:** When using, do not eat, drink or smoke.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: White powder
Odor	: Pleasant
Odor Threshold	: Not available
pH	: 10.5 - 11.5 (1%)
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available

# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

<b>Auto-ignition Temperature</b>	: Not available
<b>Decomposition Temperature</b>	: Not available
<b>Flammability (solid, gas)</b>	: Not available
<b>Lower Flammable Limit</b>	: Not available
<b>Upper Flammable Limit</b>	: Not available
<b>Vapor Pressure</b>	: Not available
<b>Relative Vapor Density at 20 °C</b>	: Not available
<b>Relative Density</b>	: Not available
<b>Specific Gravity</b>	: Not available
<b>Solubility</b>	: Complete
<b>Partition Coefficient: N-Octanol/Water</b>	: Not available
<b>Viscosity</b>	: Not available
<b>Explosion Data – Sensitivity to Mechanical Impact</b>	: Not expected to present an explosion hazard due to mechanical impact.
<b>Explosion Data – Sensitivity to Static Discharge</b>	: Not expected to present an explosion hazard due to static discharge.

### SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Oxidizer: increases the burning rate of combustible materials.
- 10.2. Chemical Stability:** May intensify fire; oxidizer.
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, ignition sources, combustible materials, incompatible materials.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Zinc. Aluminum
- 10.6. Hazardous Decomposition Products:** Thermal decomposition generates: Oxygen. Sodium oxides. Explosive Hydrogen gas.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Not classified

**pH:** 10.5 - 11.5 (1%)

**Serious Eye Damage/Irritation:** Causes serious eye damage.

**pH:** 10.5 - 11.5 (1%)

**Respiratory or Skin Sensitization:** May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Exposure may produce cough mucous secretions, shortness of breath, chest tightness or other symptoms indicative of an allergic/sensitization reaction.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction.

**Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

#### 11.2. Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

<b>Sodium percarbonate (15630-89-4)</b>	
<b>LD50 Oral Rat</b>	1034 mg/kg
<b>Nonylphenol ethoxylates (9016-45-9)</b>	
<b>LD50 Oral Rat</b>	1310 mg/kg HSDB

# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

LD50 Dermal Rabbit	1780 ml/kg
<b>Tinopal CBS (27344-41-8)</b>	
LD50 Oral Rat	5580 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
LC50 Inhalation Rat	3.6 mg/l/4h
<b>Sodium dodecylbenzenesulfonate (25155-30-0)</b>	
LD50 Oral Rat	438 mg/kg
<b>Amylase, .alpha.- (9000-90-2)</b>	
LD50 Oral Rat	> 7500 mg/kg
<b>Disodium carbonate (497-19-8)</b>	
LD50 Oral Rat	4090 mg/kg
LC50 Inhalation Rat	2300 mg/m <sup>3</sup> (Exposure time: 2 h)
<b>Subtilisins (proteolytic enzymes) (9014-01-1)</b>	
LD50 Oral Rat	3700 mg/kg

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecology - General: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

<b>Sodium percarbonate (15630-89-4)</b>	
LC50 Fish 1	70.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	4.9 mg/l (Exposure time: 48 h - Species: Daphnia pulex)
NOEC chronic fish	7.4 mg/l
NOEC chronic crustacea	2 mg/l
<b>Nonylphenol ethoxylates (9016-45-9)</b>	
EC50 Daphnia 1	1.821 mg/l
<b>Tinopal CBS (27344-41-8)</b>	
LC50 Fish 1	76 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 2	10 (10.0 - 11.0) mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
NOEC (acute)	1.37 mg/kg (Exposure time: 14 Days - Species: Eisenia foetida [soil dry weight])
<b>Sodium dodecylbenzenesulfonate (25155-30-0)</b>	
LC50 Fish 1	10.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
ErC50 (algae)	0.9 mg/l
<b>Disodium carbonate (497-19-8)</b>	
LC50 Fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	310 - 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
<b>Subtilisins (proteolytic enzymes) (9014-01-1)</b>	
LC50 Fish 1	14.6 mg/l
EC50 Daphnia 1	0.306 mg/l
ErC50 (algae)	0.513 (0.513 - 1.48) mg/l
NOEC chronic fish	2 mg/l
NOEC chronic crustacea	0.019 mg/l

### 12.2. Persistence and Degradability

<b>Star Power</b>	
Persistence and Degradability	May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative Potential

<b>Star Power</b>	
Bioaccumulative Potential	Not established.

# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

<b>Sodium percarbonate (15630-89-4)</b>	
BCF Fish 1	(no bioaccumulation)
<b>Tinopal CBS (27344-41-8)</b>	
BCF Fish 1	< 1
<b>Disodium carbonate (497-19-8)</b>	
BCF Fish 1	(no bioaccumulation)

12.4. Mobility in Soil Not available

### 12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology – Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

### 14.1. In Accordance with DOT

Proper Shipping Name : OXIDIZING SOLID, N.O.S. (Sodium Percarbonate)

Hazard Class : 5.1

Identification Number : UN1479

Label Codes : 5.1

Packing Group : III

ERG Number : 140



### 14.2. In Accordance with IMDG

Proper Shipping Name : OXIDIZING SOLID, N.O.S. (Sodium Percarbonate)

Hazard Class : 5.1

Division : 5.1

Identification Number : UN1479

Packing Group : III

Label Codes : 5.1

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-Q



### 14.3. In Accordance with IATA

Proper Shipping Name : OXIDIZING SOLID, N.O.S. (Sodium Percarbonate)

Packing Group : III

Identification Number : UN1479

Hazard Class : 5.1

Label Codes : 5.1

Division : 5.1

ERG Code (IATA) : 5L



### 14.4. In Accordance with TDG

Proper Shipping Name : OXIDIZING SOLID, N.O.S. (Sodium Percarbonate)

Packing Group : III

Hazard Class : 5.1

Identification Number : UN1479

Label Codes : 5.1



## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

Star Power

# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

<b>SARA Section 311/312 Hazard Classes</b>	Immediate (acute) health hazard
<b>Sodium percarbonate (15630-89-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Nonylphenol ethoxylates (9016-45-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>EPA TSCA Regulatory Flag</b>	S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule.
<b>Tinopal CBS (27344-41-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium dodecylbenzenesulfonate (25155-30-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Amylase, .alpha.- (9000-90-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Disodium carbonate (497-19-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>SARA Section 311/312 Hazard Classes</b>	Immediate (acute) health hazard
<b>Subtilisins (proteolytic enzymes) (9014-01-1)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

### 15.2. US State Regulations

<b>Nonylphenol ethoxylates (9016-45-9)</b>
U.S. - Maine - Chemicals of High Concern U.S. - Minnesota - Chemicals of High Concern U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term
<b>Tinopal CBS (27344-41-8)</b>
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term
<b>Sodium dodecylbenzenesulfonate (25155-30-0)</b>
U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S. - Louisiana - Reportable Quantity List for Pollutants U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2 U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2 RTK - U.S. - Massachusetts - Right To Know List U.S. - Massachusetts - Toxics Use Reduction Act U.S. - Michigan - Polluting Materials List U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances RTK - U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List RTK - U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term
<b>Disodium carbonate (497-19-8)</b>
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term
<b>Subtilisins (proteolytic enzymes) (9014-01-1)</b>
U.S. - Michigan - Occupational Exposure Limits - STELs





# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

U.S. - Minnesota - Permissible Exposure Limits - STELS  
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour  
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual  
U.S. - Tennessee - Occupational Exposure Limits - STELS  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term  
U.S. - Washington - Permissible Exposure Limits - STELS

### 15.3. Canadian Regulations

<b>Star Power</b>	
WHMIS Classification	Class C - Oxidizing Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
	
<b>Sodium percarbonate (15630-89-4)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class C - Oxidizing Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects
<b>Nonylphenol ethoxylates (9016-45-9)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
<b>Tinopal CBS (27344-41-8)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
IDL Concentration 0.1 %	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
<b>Sodium dodecylbenzenesulfonate (25155-30-0)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
IDL Concentration 1 %	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
<b>Amylase, .alpha.- (9000-90-2)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
<b>Disodium carbonate (497-19-8)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
IDL Concentration 1 %	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
<b>Subtilisins (proteolytic enzymes) (9014-01-1)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 09/25/2015

# Star Power

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### GHS Full Text Phrases:

Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Ox. Sol. 3	Oxidizing solids Category 3
Resp. Sens. 1	Respiratory sensitisation Category 1
H272	May intensify fire; oxidizer
H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

### Party Responsible for the Preparation of This Document

Faultless Starch/ Bon Ami Co.: 1-816-842-1230 (for product information); 1-800-424-9300 (for emergencies)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS